

NAME

typog-grep – specialized grep for typog-inspect elements in LaTeX log files

SYNOPSIS

typog-grep -a|--all|--any [*OPTION...*] *LOG-FILE...*

typog-grep [*OPTION...*] *REGEXP LOG-FILE...*

The first form, “discovery mode”, shows all *IDs* of

```
<typog-inspect id="ID" ...>
```

elements in *LOG-FILE*.

The second form shows the contents, *LOG-DATA*, of the elements

```
<typog-inspect id="ID" ...>
```

```
LOG-DATA
```

```
</typog-inspect>
```

whose *IDs* match *REGEXP* in *LOG-FILE*.

If no *LOG-FILE* is given read from *stdin*. The filename – is synonymous to *stdin*.

DESCRIPTION

typog-grep is a tailored post-processor for LaTeX *log* files and the `typoginspect` environment as provided by the LaTeX package `typog`. It shares more with the venerable **sgrep** <<https://www.cs.helsinki.fi/u/jjaakkol/sgrep.html>> than with POSIX **grep** <<https://pubs.opengroup.org/onlinepubs/9699919799/utilities/grep.html>>.

In the LaTeX source file the user brackets her text or code in a `typoginspect` environment:

```
\begin{typoginspect}{ID}
```

```
TEXT-OR-CODE-TO-INVESTIGATE
```

```
\end{typoginspect}
```

where *ID* is used to identify one or more bracketed snippets. *ID* does not have to be unique. The *REGEXP* mechanism makes it easy to select groups of related *IDs* if they are named accordingly.

In *LOG-FILE* the result of the environment shows up, packed with tracing information, as

```
<typog-inspect id="ID" job="JOB-NAME" line="LINE-NUMBER" page="PAGE-NUMBER">
```

```
LOG-DATA
```

```
</typog-inspect>
```

where all the capital-letter sequences are meta-variables and in particular *JOB-NAME* is the expansion of `\jobname`, *LINE-NUMBER* is the LaTeX source file line number of the beginning of the `typoginspect` environment, and *PAGE-NUMBER* is the page where the output of `TEXT-OR-CODE-TO-INVESTIGATE` occurs.

typog-grep reveals the contents of *LOG-FILE* between `<typog-inspect id="ID" ...>` and `</typog-inspect>` excluding the XML-tags themselves. Access the *JOB-NAME*, *LINE-NUMBER*, and *PAGE-NUMBER* with the cmdline options **--job-name**, **--line-number**, and **--page-number**. Use **--id** to show the name of the *IDs* that matched *REGEXP*.

`typoginspect` environments can be nested. **typog-grep** respects the nesting, i.e., if the *ID* of the nested environment does not match *REGEXP* it will not be included in the program's output.

OPTIONS

The list of options is sorted by the names of the long options.

-a, --all, --any

ID-discovery mode: Discover all `typog-inspect` elements independent of any matching patterns and print their *IDs*. The results are printed in their order of occurrence in the *LOG-FILES*. Pipe the output into **sort** to get alphabetically ordered *IDs*.

Augment with options **--job-name**, **--line-number**, **--log-line-number**, or **--page-number** for more information.

--color, colour WHEN

Colorize specific log contents for the matching *IDs*. The argument *WHEN* determines when to apply color: `always`, `never`, or `auto`. The setting `auto` checks whether standard output has been redirected. This is the default.

-C, --config KEY=VALUE[:KEY=VALUE[...]]

Set one or more configuration *KEY* to *VALUE* pairs. See section "CONFIGURATION" for a description of all available configuration items. Use option **--show-config** to display the default configuration.

--debug

Turn on debug output on *stderr*.

-E, --encoding ENCODING

Set the *ENCODING* of *LOG-FILE* for the translation to UTF-8. The default is unset.

Use this option to get rid of pesky "<HEX-DIGITS>" escapes on UTF-8 terminals. See option **--show-encodings** for the known encodings and `Encode::Supported` for a summary of all encodings. See also section "Some Common Encodings".

Apply **iconv** <<https://pubs.opengroup.org/onlinepubs/9699919799/utilities/iconv.html>> (POSIX) or **recode** <<https://github.com/rrthomas/recode/>> (GNU) on *LOG-FILE* before this tool to avoid having to use option **--encoding**.

-h, --help

Display brief help then exit.

-i, --[no-]id

Print the actual ID-name that matched *REGEXP*. Control the appearance of the matching *ID* with configuration item `id-heading`.

-y, --[no-]ignore-case

Match *IDs* while ignoring case distinctions in patterns and data.

-j, --[no-]job-name

Print the `\jobname` that **latex** associated with the input file.

-n, --[no-]line-number

Print the line number where the `typoginspect` environment was encountered in the LaTeX source file.

-N, --[no-]log-line-number

Print the line number of the *log*-file where the current line was encountered.

-p, --[no-]page-number

Print page number where the contents of the `typoginspect` environment starts in the typeset document.

- P, --[no-]pager**
Redirect output from *stdout* to the configured pager.
- show-config**
Show the default configuration and exit.
- show-encodings**
Show all known encodings and exit.
- V, --version**
Show version information and exit.
- w, --[no-]word-regexp**
Match only whole words.

CONFIGURATION

- id-format=FORMAT**
Control the *FORMAT* for printing matching ids in inline-mode, where *FORMAT* is passed to Perl's `printf`. Default: `%s:`.
- id-heading=0|1**
Choose between printing the matching *IDs* with option **--id**: Inline (0) or heading before the matching data (1). Default: 0.
- id-heading-format=FORMAT**
Control the *FORMAT* for printing matching *IDs* in heading-mode, where *FORMAT* is passed to Perl's `printf`. Default: `--> %s <--`.
- id-indent=INDENT**
Indentation of nested *typog-inspect* tags. Only used in "discovery mode" (first form), i.e., if **--all** is active. Default: 8.
- id-max-length=MAXIMUM-LENGTH**
Set the maximum length of a matching *ID* for printing. If a matching *ID* exceeds this length it will be truncated and the last three characters (short of *MAXIMUM-LENGTH*) will be replaced by dots. Default: 40.
- line-number-format=FORMAT**
Control the *FORMAT* for printing TeX source line numbers, where *FORMAT* is passed to Perl's `printf`. Default: `%5d`.
- log-line-number-format=FORMAT**
Control the *FORMAT* for printing log line numbers, where *FORMAT* is passed to Perl's `printf`. Default: `%6d`.
- page-number-format=FORMAT**
Control the *FORMAT* for printing page numbers, where *FORMAT* is passed to Perl's `printf`. Default: `[%3d]`.
- pager=PAGER**
Name of pager application to pipe output into if run with option **--pager**. Default: `less`.
- pager-flags=FLAGS**
Pass *FLAGS* to *PAGER*. Default: `--quit-if-one-screen`.

Color Configuration

For the syntax of the color specifications consult the manual page of `Term::ANSIColor(pm)`.

`file-header-color`

Color of the filename header.

`fill-state-color`

Color of the messages that report ``Underfull hbox" or ``Overfull hbox".

`first-vbox-color`

Color of the first vbox on a page.

`font-spec-color`

Color of font specifications.

`horizontal-break-candidate-color`

Color of lines with horizontal-breakpoint candidates @.

`horizontal-breakpoint-color`

Color of lines with horizontal breakpoints @@.

`id-color`

Color of matching *IDs* when printed inline.

`id-heading-color`

Color of matching *IDs* when printed in heading form.

`line-break-pass-color`

Color of the lines showing which pass (e.g., @firstpass) of the line-breaking algorithm is active.

`line-number-color`

Color of TeX-source-file line numbers.

`log-line-number-color`

Color of log-file line numbers.

`math-color`

Color used for math expressions including their font specs.

`page-number-color`

Color of page numbers of the final output.

`tightness-color`

Color of lines with Tight/Loose hbox reports.

`vertical-breakpoint-color`

Color of possible vertical breakpoints.

Brief summary of colors and attributes

Foreground Color

black, red, green, yellow, blue, magenta, cyan, white,

Prefix with `bright_` for high-intensity or bold foreground.

Foreground Grey

grey0, ..., grey23

Background Color

`on_black`, `on_red`, `on_green`, `on_yellow`, `on_blue`, `on_magenta`, `on_cyan`,
`on_white`

Replace `on_` with `on_bright_` for high-intensity or bold background.

Background Grey

`on_grey0`, ..., `on_grey23`

Text Attribute

`bold`, `dark`, `italic`, `underline`, `reverse`

Some Common Encodings

The following list shows some encodings that are suitable for option `--encoding`.

Latin-1, Western European

`iso-8859-1`, `cp850`, `cp860`, `cp1252`

Latin-2, Central European

`iso-8859-2`, `cp852`, `cp1250`

Latin-3, South European (Esperanto, Maltese)

`iso-8859-3`

Latin-4, North European (Baltics)

`iso-8859-4`

Cyrillics

`iso-8859-5`, `cp855`, `cp866` (Ukrainian), `cp1251`

Arabic

`iso-8859-6`, `cp864`, `cp1006` (Farsi), `cp1256`

Greek

`iso-8859-7`, `cp737`, `cp1253`

Hebrew

`iso-8859-8`, `cp862`, `cp1255`

Turkish

`iso-8859-9`, `cp857`, `cp1254`

Nordic

`iso-8859-10`, `cp865`, `cp861` (Icelandic)

Thai

`iso-8859-11`, `cp874`

Baltic

`iso-8859-13`, `cp775`, `cp1257`

Celtic

`iso-8859-14`

Latin-9 (sometimes called Latin0)

`iso-8859-15`

```
Latin-10
iso-8859-16
```

EXIT STATUS

The exit status is 0 if at least one *ID* matched *REGEXP*, 1 if no *ID* matched *REGEXP*, and 2 if an error occurred.

CAVEATS

The end tag `</typog-inspect>` sometimes gets placed too early in the output and the trace *seems* truncated. However, LaTeX reliably logs the requested the trace information, but the write operations for trace data and the code which is used to print the end tag are not synchronized.

SEE ALSO

grep(1), **printf(3)**, **Encode::Supported(pm)**, **Term::ANSIColor(pm)**