The fhjbook class*

Michael E. Hammer michael.hammer@fh-joanneum.at

December 16, 2025

Abstract

This class is intended to be used for formatting books and thesis in the FHJ style. It is based on the scrbook class and provides a set of macros and commands to simplify the formatting of thesis and books.

Contents

1	Cor	ofiguration and styling		
	1.1	Used packages		
2	Preamble			
	2.1	Multilingual support		
	2.2	Title page		
	2.3	Title page		
3	The	esis document 4		
		Front matter		
	3.2	Appendix		
	3.3	Appendix		

1 Configuration and styling

It is important to note that this class is based on the scrbook class and we support forwarding options to it.

- 1 \newcommand{\@ClassName}{fhjbook}
- 3 \ProcessOptions\relax

We load the scrbook class with the following options:

- a4paper: We want to use A4 paper size
- DIV=14: The DIV parameter should be set to 14 to ensure a good balance between text width and height

^{*}This document corresponds to fhjbook v4.2b, dated 2025-10-16.

• BCOR=10mm: The binding correction should be set to 10mm to ensure proper binding of the printed document

Remark: Feel free to switch to twoside which we clearly recommend!

4 \LoadClass[a4paper,DIV=14,BCOR=10mm]{scrbook}

For styling of the document headers we rely on the predefined stylings from KOMA-Script.

5 \pagestyle{headings}

1.1 Used packages

For the styling of the document we use the following packages and therefore they are preloaded and you might not load them again in your document:

```
6 \RequirePackage{fhjcommon}
```

- 7 \PassOptionsToPackage{hidelinks}{hyperref}
- 8 \RequirePackage{hyperref}
- 9 \RequirePackage{array}
- 10 \RequirePackage{supertabular}
- 11 \RequirePackage{xstring}

2 Preamble

For using the class you need to define a few macros (preferably in your preamble).

2.1 Multlilingual support

This class supports multilingual documents and therefore we recommend to load the babel package and set one of two supported languages – either ngerman or english. A possible boilerplate for the preamble could look like this:

```
\label{language} $$\operatorname{T1}_{fontenc} \subseteq \mathbb{mylanguage} $$\ \end{tabular} $$\ \end{tabu
```

The definition of the macro \mylanguage is optional, but it has the advantage that you might want to use it in other packages as well.

2.2 Title page

To have the correct icon and name for the study program typeset on the title page, you need to define it with the macro from fhjcommon package (see the according documentation):

\FHJProgram{DAT}

\title This command defines the title of your master thesis and is placed on the title page on the according position. It is supported to use line breaks in the title, so you can have up to three lines in the title.

\subtitle This command defines the subtitle of your master thesis and is placed on the

title page on the according position. The subtitle is optional and it is expected to be a single line.

On the title page it is mandatory to define the author of the thesis. The \authorinfo command \author is used for this purpose and must be followed by the author's name in the following format - make sure to use first name first and the last name second in all capital letters:

```
\author{Lisa MUSTERFRAU}
```

Besides the name of the author, you need to provide some additional information with the macro \authorinfo{\langle gender \rangle} {\langle mat-nr \rangle} {\langle year \rangle} which may look as follows:

```
\authorinfo{f}{0130508}{2024}
```

Currently we support the following values for the gender -m, f and o (for other). The matrikel number is the student's ID number and the year is the cohort of the student.

\supervisor

Finally it is mandatory to define the supervisor of the thesis with the help of \supervisor $\{\langle name \rangle\} \{\langle gender \rangle\}$ macro:

```
\supervisor{MMMMag. DDr. Wolfgang GRANIGG}{m}
```

\cosupervisor

It may be the case that you have a second supervisor, which is optional and can be defined with the help of \cosupervisor{ $\langle name \rangle$ }{ $\langle gender \rangle$ } macro in the same way as for \supervisor.

\date

The date of submission is defined with the \date macro and it is expected to be a single line in the following format:

```
\date{YYYY-MM-DD}
```

\FHJLocation

The location which is used on the titlepage is defined with the \FHJLocation macro and it is expected to be a single line.

Abstract and keywords 2.3

All master thesis must contain an abstract in both German and English. The abstract should provide a brief summary of the research question, methodology, and key findings. To support you in typesetting the abstract, we provide macros for defining the abstract itself and the keywords.

\FHJAbstractDE These macros are used to define the abstract in German and English respec-\FHJAbstractEN tively. Both commands follow the same syntax:

```
\FHJAbstractDE{\langle abstract\ text \rangle}{\langle keyword1, keyword2, ... \rangle}
\FHJAbstractEN\{\langle abstract\ text\rangle\}\{\langle keyword1, keyword2, \ldots\rangle\}
```

Note: The keywords are expected to be a comma-separated list of keywords whithout spaces before or after the commas. Do not forget to define the abstract and keywords in both languages!

3 Thesis document

3.1 Front matter

If you have defined all necessary macros in the preamble, you can start with the document itself. In most cases you will want to use the following boilerplate at the beginning:

```
\begin{document}
    \frontmatter
    \FHJThesisFrontMatter
    \tableofcontents
    \listoftables
    \listoffigures
    \mainmatter
    ...
\end{document}
```

The macros \frontmatter, \mainmatter are special macros from KOMA-Script which seperate the front matter from the main content of the thesis – one consequence for example is roman numbering of the pages in the front matter and arabic numbering in the main matter.

\FHJThesisFrontMatter

The macro \FHJThesisFrontMatter is used to typeset the front matter of the thesis. It will take care of all necessary formatting for you (for title page, abstract and declarations). Nevertheless, we also export the individual macros for the title page, abstract and declarations.

\FHJMakeTitlePage

The macro \FHJMakeTitlePage is used to typeset the title page of the thesis. It is expected to be called in the document body and will take care of all necessary formatting for you. It generates an empty page and should be the first page of the document.

\FHJMakeDeclaration

The macro \FHJDeclaration is used to typeset the declaration page of the thesis. It is actually contained in package fhjcommon.

\FHJMakeAbstract

The macro \FHJMakeAbstract is used to typeset the abstract of the thesis including keywords in both languages.

3.2 Appendix

The appendix is a section at the end of the thesis where you can include additional material that is not essential to the main text but may be helpful for the reader. This can include supplementary data, detailed explanations of methods or source code, or other relevant information.

We at least recommend to include the list of abbreviations.

```
\appendix
\chapter{Appendix}
\section{Source Code}
...
\section{...}
...
% Will create its own section in the table of contents
\printacronyms[template=supertabular,heading=section]
```

3.3 Bibliography

The bibliography is an essential part of any thesis, as it provides a list of all the sources that were cited or consulted during the research process. It is important to follow a consistent citation style throughout the thesis and to include all necessary information for each source (see fhj_guide.pdf for further information on writing a thesis in LATEX).

A possible boilerplate for printing the bibliography in the document could look like this (heading=bibnumbered ensures that the bibliography is listed and numbered in the table of contents):

\printbibliography[heading=bibnumbered]

Change History

v4.0 General: Initial package version ... 1